



# Catálogo Digital

[www.carlom.com](http://www.carlom.com)



## Índice

ALCANTARA .....	3
ANDY .....	4
BICOLOR STAR.....	5
BLADE.....	6
CADIS.....	7
CALFEX .....	8
CAPRI ATD ALL TIME DRY.....	10
CARLOMBREL .....	11
CARLUX.....	13
CRETA .....	15
DUBAI.....	16
DUAL SPORT.....	18
FAKEFUR.....	20
FELPA ITALIANA .....	21
FIBERNIC.....	23
FOX .....	24
GALAXY .....	26
GLOVEX.....	28
GRANADA .....	29
GRANADA ATD ALL TIME DRY.....	31
GREENTEX PIQUET SEAQUAL.....	33
GREENTEX PIQUET SP SEAQUAL.....	34
IBIZA.....	35
JAGUAR.....	36
JOGGY .....	38
LIRA .....	40
MADRID.....	42
MICROSIDNEY.....	43
MICROSUEDE .....	45
MICROTEC.....	46
MINIMATE .....	48
PIGORI .....	50
PIGOVI .....	52
PIQUET STAR HR.....	53
RIO .....	54
RUNNER.....	56
SARJA HOTMELT .....	58
SOFT.....	59
SPACE STAR.....	60
SUPERSOFT .....	61
SILAS.....	62
TEKNOFIL .....	63
TECH FOAM D30 .....	65
TIARA .....	66
TOSCANA .....	67
KROSS.....	68



## HOME TEXTILES

### ALCANTARA

COMPOSITION  
Polyester

WEIGHT  
130g/m<sup>2</sup>

WIDTH  
2,20m



01 Beige ▲



02 Brown ▲



04 Bordeaux ▲



05 Light Grey ▲



06 Grey ▲



## INTERIOR LINING FORRO INTERIOR



05 Preto ▲

### ANDY

**COMPOSITION**  
50% Polyester, 50% Poliuretano

**WEIGHT**

280g/m<sup>2</sup>

**WIDTH**

1,40m



11 Areia ▲



04 Beige ▲



01 Camel ▲



02 Vermelho ▲



07 Cinza Claro ▲



08 Branco ▲




09 Castanho T. di moro ▲



10 Marinho ▲



## UPPER CORTE



### BICOLOR STAR


**COMPOSITION**  
60% Polyamide, 40% Polyester

**WEIGHT**


230g/m<sup>2</sup>

**WIDTH**


1,60m



Natural ▲




Red ▲




Purple ▲



Brown ▲




Blue ▲



Indigo ▲




Navy ▲




Grey ▲




Black ▲



Pistachio ▲




Turquoise ▲



Orange ▲



## UPPER CORTE



Yellow fluorine ▲

### BLADE

#### COMPOSITION


87% Polyester, 13% Reflective Thread

#### WEIGHT


340g/m<sup>2</sup>

#### WIDTH


1,60m




Natural ▲




Raw ▲



Beige ▲



Nude ▲




Sage ▲




Grey ▲




Navy ▲




Black ▲



Fuchsia fluorine ▲



Orange fluorine ▲



Turquoise fluorine ▲



## UPPER CORTE



### CADIS

#### COMPOSITION

100% Polyester

#### WEIGHT

90g/m<sup>2</sup>

#### WIDTH

1,60m



01 ▲



02 ▲



04 ▲



03 ▲



05 ▲



13 ▲



07 ▲



08 ▲



15 ▲




06 ▲



14 ▲



## REINFORCEMENT REFORÇO



### CALFEX


**COMPOSITION**  
Nonwoven Polyester

**WEIGHT**  
220g/m<sup>2</sup>

**WIDTH**  
1,60m



White ▲





## REINFORCEMENT REFORÇO

# CALFEX

### COMPOSITION/COMPOSIÇÃO

Nonwoven Polyester/ Não tecido Poliéster

### WEIGHT/PESO

220g/m<sup>2</sup>


### WIDTH/LARGURA

1,60m

TEST	STANDARD	RESULT	SPECIFICATION	CONFORMITY
<b>Abrasion Resistance MARTINDALE (Linings): DRY</b>				
» Vamp and quarter lining	EN ISO 20344-6:12-2011	Without Holes	w.h. at 25.600 c.	PASS
» Seat lining	EN ISO 20344-6:12-2011	Without Holes	w.h. at 51.200 c.	PASS
<b>Abrasion Resistance MARTINDALE (Linings): WET</b>				
» Vamp and quarter lining	EN ISO 20344-6:12-2011	Without Holes	w.h. at 12.800 c.	PASS
» Seat lining	EN ISO 20344-6:12-2011	Without Holes	w.h. at 25.600 c.	PASS



## INTERIOR LINING FORRO INTERIOR



Black ▲

### CAPRI ATD ALL TIME DRY

#### COMPOSITION



Polyester

#### WEIGHT

115g/m<sup>2</sup>


#### WIDTH

1,60m





## INTERIOR LINING FORRO INTERIOR



Black ▲

### CARLOMBREL


**COMPOSITION**  
Nonwoven Polyamide

**WEIGHT**  
150g/m<sup>2</sup>

**WIDTH**  
1,50m



White ▲




Grey ▲



68 ▲



6 BL ▲



487 ▲



101 ▲




140 ▲



205 ▲



68 ▲



190 ▲




1 ND ▲




119 ▲




218 ▲



137 ▲




1 CQ ▲




19 L ▲



105 ▲



112 ▲




MC 2 ▲



MC 1 ▲



## INTERIOR LINING FORRO INTERIOR



Light Grey ▲

### CARLUX

#### COMPOSITION

Polyester

#### WEIGHT

280g/m<sup>2</sup>

#### WIDTH


1,60m




White ▲




Black ▲




Beige ▲




Green ▲







Metal Blue ▲



Orange ▲



Red ▲





## INTERIOR LINING FORRO INTERIOR

# CARLUX

### COMPOSITION/COMPOSIÇÃO

Polyester/Poliéster

### WEIGHT/PESO

280g/m<sup>2</sup>


### WIDTH/LARGURA

1,60m

TEST	STANDARD	RESULT	SPECIFICATION	CONFORMITY
<b>Abrasion Resistance MARTINDALE (Linings): DRY</b>				
» Vamp and quarter lining	EN ISO 20344-6.12-2011	Without Holes	w.h. at 25.600 c.	PASS
» Seat lining	EN ISO 20344-6.12-2011	Without Holes	w.h. at 51.200 c.	PASS
<b>Abrasion Resistance MARTINDALE (Linings): WET</b>				
» Vamp and quarter lining	EN ISO 20344-6.12-2011	Without Holes	w.h. at 12.800 c.	PASS
» Seat lining	EN ISO 20344-6.12-2011	Without Holes	w.h. at 25.600 c.	PASS
<b>Water Vapour Permeability and Coefficient (Lining):</b>				
» Vapour Permeability mg/cm <sup>2</sup> .h	EN ISO 20344-6.6+6.8-2011	103,5 (+/- 6,1)	min 2.0	PASS
» Vapour Coefficient mg/cm <sup>2</sup>	EN ISO 20344-6.6+6.8-2011	828,4 (+/- 7,2)	min 20	PASS



## INTERIOR LINING FORRO INTERIOR



White ▲

### CRETA


**COMPOSITION**  
Polyester

**WEIGHT**  
70g/m<sup>2</sup>

**WIDTH**  
1,60m



Black ▲





## INTERIOR LINING FORRO INTERIOR



### DUBAI

#### COMPOSITION


Polyester

#### WEIGHT

200g/m<sup>2</sup>

#### WIDTH


1,80m



01 ▲



02 ▲



03 ▲



05 ▲




06 ▲




09 ▲



12 ▲



13 ▲



18 ▲



19 ▲



20 ▲




21 ▲



22 ▲



23 ▲



24 ▲




25 ▲



26 ▲



27 ▲




30 ▲



34 ▲




35 ▲




38 ▲




45 ▲




▲




▲




▲




▲




▲




▲



▲




▲



▲



## INTERIOR LINING FORRO INTERIOR



### DUAL SPORT

#### COMPOSITION


100% PES

#### WEIGHT


180g/m<sup>2</sup>

#### WIDTH

1,60m




01 ▲




02 ▲




03 ▲




04 ▲




05 ▲



06 ▲




07 ▲



08 ▲



## INTERIOR LINING FORRO INTERIOR



### DUAL SPORT

#### COMPOSITION

100% PES

#### WEIGHT

180g/m<sup>2</sup>

#### WIDTH

1,60m



09 ▲



10 ▲



11 ▲



12 ▲



13 ▲



14 ▲



15 ▲



## INTERIOR LINING FORRO INTERIOR



### FAKEFUR

#### COMPOSITION

Polyester

#### WEIGHT

230g/m<sup>2</sup>

#### WIDTH

1,60m



00 ▲





01 ▲



02 ▲



04 ▲





## INTERIOR LINING FORRO INTERIOR



### FELPA ITALIANA

#### COMPOSITION

100% Polyester

#### WEIGHT

240g/m<sup>2</sup>

#### WIDTH

1,60m



04 Azul Marinho ▲



50 Azul Petróleo ▲



05 Bege Claro ▲



23 Bege Médio ▲



08 Preto ▲



09 Castanho Escuro ▲



12 Cinza Médio ▲



21 Cinza Antracite ▲



57 Beringela ▲



07 Camel ▲







98 Catanh. di no ▲



30 Taupe ▲



22 Boleaux ▲





## INTERIOR LINING FORRO INTERIOR



### FIBERNIC

#### COMPOSITION

Polyamide, Polyurethane

#### WEIGHT

920g/m<sup>2</sup>

#### THICKNESS


2,2 mm

#### WIDTH

1,40m




White ▲




Light Grey ▲




Black ▲





Orange ▲



Blue ▲




Red ▲





## HOME TEXTILES



**FOX**

COMPOSITION

Polyester

WEIGHT

150g/m<sup>2</sup>

WIDTH

2,20m




01 ▲



22 ▲




06 ▲



19 ▲




17 ▲




29 ▲




42 ▲



27 ▲




26 ▲



12 ▲



07 ▲




05 ▲



24 ▲



02 ▲



25 ▲



04 ▲



08 ▲



## INTERIOR LINING FORRO INTERIOR



### Galaxy

**COMPOSITION**  
Polyester

**WEIGHT**  
340g/m<sup>2</sup>

**WIDTH**  
1,60m



02 Grey



04 Bege 0




3 Black



11 Bege



24 Marinho



06 Bege Escuro



01 Bege



05 Champagne



## INTERIOR LINING

FORRO INTERIOR

# Galaxy

## COMPOSITION/COMPOSIÇÃO

Polyester/Poliéster

## WEIGHT/PESO

340g/m<sup>2</sup>

## WIDTH/LARGURA

1,60m

TEST	STANDARD	RESULT	SPECIFICATION	CONFORMITY
<b>Abrasion Resistance MARTINDALE (Linings): DRY</b>				
» Vamp and quarter lining	EN ISO 20344-6:2011	Without Holes	w.h. at 25.600 c.	PASS
» Seat lining	EN ISO 20344-6:2011	Without Holes	n.v.d. at 51.200 c.	PASS
<b>Abrasion Resistance MARTINDALE (Linings): WET</b>				
» Vamp and quarter lining	EN ISO 20344-6:2011	Without Holes	n.v.d. at 12.800 c.	PASS
» Seat lining	EN ISO 20344-6:2011	Without Holes	n.v.d. at 25.600 c.	PASS



UPPER  
CORTE

GLOVEX

COMPOSITION

Polyamide / Polyester

WEIGHT


180g/m<sup>2</sup>

WIDTH

1,50m



White ▲





## INTERIOR LINING FORRO INTERIOR



### GRANADA

COMPOSITION  
PES/PU/PP

WEIGHT

170g/m<sup>2</sup>

WIDTH

1,60m



Grey ▲



01 ▲



02 ▲



03 ▲



04 ▲



05 ▲



06 ▲




07 ▲



09 ▲




10 ▲



12 ▲



13 ▲




14 ▲




15 ▲



26 ▲



28 ▲



31 ▲



33 ▲



34 ▲




35 ▲



37 ▲




45 ▲



50 ▲



60 ▲



63 ▲




64 ▲




65 ▲




70 ▲




▲



▲



▲



▲



## INTERIOR LINING

FORRO INTERIOR





Grey ▲

### GRANADA ATD ALL TIME DRY

COMPOSITION  
PES/PU/PP

WEIGHT  
560g/m<sup>2</sup>  
WIDTH  
1,55m





## INTERIOR LINING FORRO INTERIOR

### GRANADA ATD ALL TIME DRY

COMPOSITION  
PES/PU/PP

WEIGHT  
560g/m<sup>2</sup>

WIDTH  
1,55m

TEST	STANDARD	RESULT	SPECIFICATION	CONFORMITY
Abrasion Resistance MARTINDALE (Linings): DRY » Vamp and quarter lining	EN ISO 20344-6.12-2011	Without Holes	w.h. at 25.600 c.	PASS
Abrasion Resistance MARTINDALE (Linings): WET » Vamp and quarter lining	EN ISO 20344-6.12-2011	Without Holes	w.h. at 12.800 c.	PASS
Tear strength of lining: textile » Coated and textile material	EN ISO 20344-6.3-2011	69	min 15	PASS



## UPPER CORTE



### GREENTEX PIQUET SEAQUAL


COMPOSITION  
Polyester SEAQUAL™

WEIGHT  
210g/m<sup>2</sup>


WIDTH  
1,60m



Natural ▲



Beige ▲



Stone ▲



Kaki ▲



Navy ▲



Black ▲



Marengo ▲



## UPPER CORTE



### GREENTEX PIQUET SP SEAQUAL

#### COMPOSITION

Polyester SEAQUAL™

#### WEIGHT


180g/m<sup>2</sup>

#### WIDTH

1,60m



Natural ▲



Beige ▲



Stone ▲



Marengo ▲



Navy ▲



Black ▲



Kaki ▲



## INTERIOR LINING FORRO INTERIOR



### IBIZA

#### COMPOSITION

50% Polyester, 50% Poliuretano

#### WEIGHT

280g/m<sup>2</sup>

#### WIDTH

1,40m



01 ▲



02 ▲



06 ▲





09 ▲



04 ▲



03 ▲



▲

▲



## UPPER CORTE



Black ▲

### JAGUAR

**COMPOSITION**

Polyurethane, Polyester

**WEIGHT**750g/m<sup>2</sup>**THICKNESS**

1,3mm

**WIDTH**

1,40m



Brown ▲



Dark Grey ▲



## UPPER CORTE

# JAGUAR

### COMPOSITION/COMPOSIÇÃO

Poliurethane, Polyester/Poliuretano, Poliéster

### WEIGHT/PESO

750g/m<sup>2</sup>

### THICKNESS/ESPESSURA

1,3mm

### WIDTH/LARGURA

1,40m

TEST	STANDARD	RESULT	SPECIFICATION	CONFORMITY
<b>Abrasion Resistance MARTINDALE (Linings): DRY</b>				
» Vamp and quarter lining	EN ISO 20344-6:2011	Without Holes	w.h. at 25.600 c.	PASS
» Seat lining	EN ISO 20344-6:2011	Without Holes	w.h. at 51.200 c.	PASS
<b>Abrasion Resistance MARTINDALE (Linings): WET</b>				
» Vamp and quarter lining	EN ISO 20344-6:2011	Without Holes	w.h. at 12.800 c.	PASS
» Seat lining	EN ISO 20344-6:2011	Without Holes	w.h. at 25.600 c.	PASS



## INTERIOR LINING FORRO INTERIOR



### JOGGY

#### COMPOSITION

Polyester

#### WEIGHT

360g/m<sup>2</sup>

#### WIDTH


1,60m



01 ▲



02 ▲



03 ▲



04 ▲



06 ▲



09 ▲



10 ▲



11 ▲




13 ▲



14 ▲




17 ▲




21 ▲



28 ▲




▲




▲



▲




▲



▲




▲



▲



## INTERIOR LINING FORRO INTERIOR



### LIRA

COMPOSITION  
Polyurethane


WEIGHT  
300g/m<sup>2</sup>

THICKNESS  
0,7mm

WIDTH  
1,40m




01 ▲



02 ▲



03 ▲



04 ▲



05 ▲



06 ▲



07 ▲



08 ▲




09 ▲



10 ▲



13 ▲




14 ▲



15 ▲




16 ▲




18 ▲




22 ▲




▲




▲




▲




▲




▲




▲




▲




▲




▲




▲




▲




▲




▲



▲




▲



▲



UPPER  
CORTE



MADRID

COMPOSITION

Polyester

WEIGHT

275g/m<sup>2</sup>

WIDTH

1,40m




White ▲



Black ▲




Beige ▲




Green ▲




Light Grey ▲







Orange ▲



Red ▲




Metal Blue ▲





## INTERIOR LINING FORRO INTERIOR



### MICROSIDNEY

#### COMPOSITION

100% Polyester

#### WEIGHT

125g/m<sup>2</sup> (+/-10 g)

#### WIDTH

1,60m (+/- 5 cm)



03 ▲



04 ▲



05 ▲



06 ▲



08 ▲



09 ▲



10 ▲



11 ▲



12 ▲




15 ▲



16 ▲




20 ▲





## UPPER CORTE



Black ▲



Light Grey ▲



Dark Grey ▲

## MICROSUEDE

### COMPOSITION

50% Polyamide, 50% Polyurethane

### WEIGHT

985g/m<sup>2</sup>

### WIDTH

1,40m





## INTERIOR LINING FORRO INTERIOR



### MICROTEC

#### COMPOSITION

100% Polyester

#### WEIGHT

170g/m<sup>2</sup>

#### WIDTH

2,20m



01 ▲



02 ▲



06 ▲



07 ▲



08 ▲



09 ▲



10 ▲



12 ▲



15 ▲



17 ▲



18 ▲




24 ▲



25 ▲



26 ▲




29 ▲



30 ▲



31 ▲



32 ▲



38 ▲

▲



## HOME TEXTILES

### MINIMATE

COMPOSITION


Polyester

WEIGHT

160g/m<sup>2</sup>

WIDTH

1,50m



01 ▲



17 ▲



16 ▲



09 ▲



12 ▲



04 ▲



03 ▲




05 ▲



21 ▲



13 ▲



18 ▲




07 ▲




08 ▲




19 ▲



10 ▲



06 ▲




11 ▲




20 ▲



15 ▲



22 ▲



02 ▲



## INTERIOR LINING

FORRO INTERIOR



### PIGORI

COMPOSITION  
Polyester

WEIGHT  
100g/m<sup>2</sup>  
WIDTH  
1,60m




01 ▲




03 ▲




04 ▲



07 ▲



11 ▲



13 ▲



15 ▲




16 ▲



17 ▲



18 ▲



19 ▲



20 ▲



21 ▲



22 ▲



23 ▲



24 ▲



26 ▲



34 ▲




35 ▲




36 ▲



37 ▲



39 ▲




41 ▲




45 ▲



47 ▲



53 ▲






60 ▲



70 ▲



75 ▲





## INTERIOR LINING FORRO INTERIOR

### PIGOVI

COMPOSITION

Polyester

WEIGHT

105g/m<sup>2</sup>

WIDTH

1,60m



Navy ▲



Royal Blue ▲



Brown ▲



Beige ▲




Camel ▲



Orange ▲




Black ▲



White ▲



## UPPER CORTE



### PIQUET STAR HR

#### COMPOSITION

Polyamide

#### WEIGHT

380g/m<sup>2</sup>

#### WIDTH

1,60m



Beige ▲




Mink ▲



Walnut ▲



Brown ▲



Red ▲




Indigo ▲





Marengo ▲



Black ▲




Royal Blue ▲





## INTERIOR LINING FORRO INTERIOR



### RIO

**COMPOSITION**  
Poliurethane, Polyamide

**WEIGHT**  
360g/m<sup>2</sup>

**THICKNESS**  
0,7mm

**WIDTH**  
1,40m



01 ▲



02 ▲



03 ▲




09 ▲



10 ▲



11 ▲



14 ▲



17 ▲



22 ▲



## INTERIOR LINING

FORRO INTERIOR

# RIO

### COMPOSITION/COMPOSIÇÃO

Poliurethane, Polyamide/Poliuretano, Poliamida

### WEIGHT/PESO

360g/m<sup>2</sup>

### THICKNESS/ESPESSURA

0,7mm


### WIDTH/LARGURA

1,40m

TEST	STANDARD	RESULT	SPECIFICATION	CONFORMITY
<b>Abrasion Resistance MARTINDALE (Lining): DRY</b>				
» Vamp and quarter lining	EN ISO 20344-6:2011	Without Holes	w.h. at 25.600 c.	PASS
» Seat lining	EN ISO 20344-6:2011	Without Holes	w.h. at 51200 c.	PASS
<b>Abrasion Resistance MARTINDALE (Lining): WET</b>				
» Vamp and quarter lining	EN ISO 20344-6:2011	Without Holes	w.h. at 12.800 c.	PASS
» Seat lining	EN ISO 20344-6:2011	Without Holes	w.h. at 25.600 c.	PASS



## INTERIOR LINING FORRO INTERIOR



Black ▲

### RUNNER

**COMPOSITION**

Polyester

**WEIGHT**320g/m<sup>2</sup>**WIDTH**

1,50m



White ▲



Grey ▲



Green ▲







Navy Blue ▲



Orange ▲



Red ▲





## INTERIOR LINING

FORRO INTERIOR

## RUNNER

### COMPOSITION/COMPOSIÇÃO

Polyester/Poliéster

### WEIGHT/PESO

320g/m<sup>2</sup>

### WIDTH/LARGURA

1,50m

TEST	STANDARD	RESULT	SPECIFICATION	CONFORMITY
<b>Abrasion Resistance MARTINDALE (Linings): DRY</b>				
» Vamp and quarter lining	EN ISO 20344-6.12-2011	Without Holes	w.h. at 25.600 c.	PASS
» Seat lining	EN ISO 20344-6.12-2011	Without Holes	w.h. at 51.200 c.	PASS
<b>Abrasion Resistance MARTINDALE (Linings): WET</b>				
» Vamp and quarter lining	EN ISO 20344-6.12-2011	Without Holes	w.h. at 12.800 c.	PASS
» Seat lining	EN ISO 20344-6.12-2011	Without Holes	w.h. at 25.600 c.	PASS



## REINFORCEMENT REFORÇO



Raw ▲

### SARJA HOTMELT

#### COMPOSITION


Cotton

#### WEIGHT

250g/m<sup>2</sup>

#### WIDTH

1,60m





## INTERIOR LINING FORRO INTERIOR

### SOFT

#### COMPOSITION

Polyester

#### WEIGHT

380g/m<sup>2</sup>

#### WIDTH

1,65m



4059 ▲



99 ▲



202 ▲



409 ▲



505 ▲



528 ▲





597 ▲



599 ▲




740 ▲





## INTERIOR LINING FORRO INTERIOR



09 Red ▲

### SPACE STAR

COMPOSITION  
50% Polyamide, 50% Polyester

WEIGHT  
265g/m<sup>2</sup>

WIDTH  
1,40m




01 White ▲




02 Light Grey ▲



03 Dark Grey ▲



04 Beige ▲




05 Lilac ▲



06 Black ▲



07 Green ▲



08 Orange ▲



## HOME TEXTILES



### SUPERSOFT


COMPOSITION  
Polyester

WEIGHT  
240g/m<sup>2</sup>

WIDTH  
2,20m



01 White ▲






22 Beige ▲



02 Light Grey ▲



25 Dark Grey ▲





## UPPER CORTE

### SILAS

WIDTH  
1,05m



Vermelho ▲




Azul ▲



Cinza ▲




Preto ▲



Rosa ▲



## INTERIOR LINING FORRO INTERIOR



01 ▲

### TEKNOFIL

**COMPOSITION**  
Poliurethane, Polyamide

**WEIGHT**  
260g/m<sup>2</sup>

**THICKNESS**  
0,8mm

**WIDTH**  
1,40m



03 ▲



04 ▲



09 ▲



06 ▲



08 ▲



05 ▲



10 ▲



11 ▲



## INTERIOR LINING

FORRO INTERIOR

## TEKNOFIL

### COMPOSITION/COMPOSIÇÃO

Poliurethane, Polyamide/Poliuretano, Poliamida

### WEIGHT/PESO

260g/m<sup>2</sup>

### THICKNESS/ESPESSURA

0,8mm

### WIDTH/LARGURA

1,40m

TEST	STANDARD	RESULT	SPECIFICATION	CONFORMITY
<b>Abrasion Resistance MARTINDALE (Linings): DRY</b>				
» Vamp and quarter lining	EN ISO 20344-6:12-2011	Without Holes	w.h. at 25.600 c.	PASS
» Seat lining	EN ISO 20344-6:12-2011	Without Holes	w.h. at 51.200 c.	PASS
<b>Abrasion Resistance MARTINDALE (Linings): WET</b>				
» Vamp and quarter lining	EN ISO 20344-6:12-2011	Without Holes	w.h. at 12.800 c.	PASS
» Seat lining	EN ISO 20344-6:12-2011	Without Holes	w.h. at 25.600 c.	PASS




FOAM  
ESPUMA

## TECH FOAM D30

**COMPOSITION**  
Polyurethane


**DENSITY**  
D30

**DIMENSION**  
2,00 x 1,20m





## INTERIOR LINING FORRO INTERIOR



### TIARA

#### COMPOSITION


100% Polyester

#### WEIGHT

230g/m<sup>2</sup>

#### WIDTH

1,60m



04 Preto ▲






05 Bege ▲



06 Castanho ▲



07 Cinza ▲





## INTERIOR LINING FORRO INTERIOR



### TOSCANA

#### COMPOSITION

Polyester

#### WEIGHT

200g/m<sup>2</sup>

#### WIDTH

1,80m



01 ▲



02 ▲



03 ▲



04 ▲




05 ▲



08 ▲



17 ▲





19 ▲



20 ▲



22 ▲






## UPPER CORTE

### KROSS

WIDTH  
1,05m



Bege ▲



Verde ▲



Bordeaux ▲



Cinza ▲



Preto ▲



Azul ▲



Rua do Sistelo, 665, Apartado 11  
4435-452 Rio Tinto - Portugal

Tel: (+351) 224 891 270

[textile@carlom.com](mailto:textile@carlom.com)  
[www.carlom.com](http://www.carlom.com)